



Indiana Department of Environmental Management  
Office of Water Quality  
Wetlands Section

**Publication Date:**  
December 10, 2007

**IDEM ID Number:**  
2007-600-76-SSA-A

**Closing Date:**  
December 30, 2007

**Corps of Engineers ID Number:**  
Not Available

## PUBLIC NOTICE

**To all interested parties:**

This letter shall serve as a formal notice of the receipt of an application for **Section 401 Water Quality Certification** by the Indiana Department of Environmental Management (IDEM). The purpose of the notice is to inform the public of active applications submitted for water quality certification under Section 401 of the Clean Water Act (33 U.S.C. § 1341) and to solicit comments and information on any impacts to water quality related to the proposed project. IDEM will evaluate whether the project complies with Indiana's water quality standards as set forth at 327 IAC 2.


- 
- |                      |   |                  |  |
|----------------------|---|------------------|--|
| <b>1. Applicant:</b> | Ron Smith<br>Steuben County Board of Commissioners<br>317 South Wayne Street, Suite 2J<br>Angola, Indiana 46703 | <b>2. Agent:</b> | Eric Ditmars<br>100 Lane 101 Crooked Lake<br>Angola, Indiana 46703 |
|----------------------|---|------------------|--|
- 3. Project location:** Section 16, Township 37 North, Range 13 East, Steuben County, Angola West USGS Quad  
Along the St. Joseph River, southwest of the intersection of North River Road and County Road 23
- 4. Affected waterbody:** Crooked Lake
- 5. Project Description:** The applicant proposes to place glacial stone along 1,120 linear feet of lakeshore along Crooked Lake. In addition, the applicant proposes to incorporate 200 red osier dogwoods or buttonbush and 100 sedges or rushes in and along the glacial stone.
- 


**Comment period:** Any person or entity who wishes to submit comments or information relevant to the aforementioned project may do so by the closing date noted above. Only comments or information related to water quality or potential impacts of the project on water quality can be considered by IDEM in the water quality certification review process.

**Public Hearing:** Any person may submit a written request that a public hearing be held to consider issues related to water quality in connection with the project detailed in this notice. The request for a hearing should be submitted within the comment period to be considered timely. The request should also state the reason for the public hearing as specifically as possible to assist IDEM in determining whether a public hearing is warranted.

**Questions?** Additional information may be obtained from Sara Slater-Atwater, Project Manager, at 317-234-1221. Please address all correspondence to the project manager and reference the IDEM project identification number listed on this notice. Indicate if you wish to receive a copy of IDEM's final decision. Written comments and inquiries may be forwarded to -

Indiana Department of Environmental Management  
Office of Water Quality  
Wetlands Section  
100 North Senate Avenue  
Indianapolis, Indiana 46204-2251  
FAX: 317/232-8406





N

N

# Campground

